Capital Area Ground Water Conservation Commission Administrative Committee Meeting CAGWCC Conference Room 3535 South Sherwood Forest Blvd., Suite 137 Baton Rouge, LA 70816 March 20, 2018 at 8:30 a.m.

Agenda

1.	Call	to	ord	lei

John Jennings - Administrative Chairman

II. Roll call

 $Scallan-CAGWCC\ Staff$

III. Establishment of a quorum

John Jennings – Administrative Chairman

IV. Approval of Minutes of December 5, 2017 Administrative Meeting

Action required

John Jennings – Administrative Chairman

V. Audit – Fiscal Year 2016-2017

Margaret Pritchard - Baxley & Associates

VI. CAGWCC Financial Conditions – as of February 28, 2018

John Jennings – Administrative Chairman

VII. Recommendation of Online Bill Payment

Action required

John Jennings – Administrative Chairman

VIII. Adopt CAGWCC Written Policies and Procedures

Action required

John Jennings – Administrative Chairman

IX. Hiring a CPA to Assist the CAGWCC Staff

Action required

Anthony Duplechin - CAGWCC Director

X. Engage a CPA to Perform Audit for Fiscal Year 2017-2018

Action required

 $Anthony\ Duplechin-CAGWCC\ Director$

XI. Approval of Performance Evaluation Form for CAGWCC Staff by Administrative Committee

John Jennings – Administrative Chairman

XII. Discuss Recommendation of CAGWCC Treasurer

Barry Hugghins - CAGWCC Chairman

XIII. Amend 2017-2018 Budget

- a) Include all pass through funding & expenses (shown on budget)
- b) CPA Expenses
- c) Bank Fees (\$425)
- d) Travel (\$8,000)
- e) Information Technology (\$10,000)

Action required

John Jennings – Administrative Chairman

XIV. Review Proposed Budget for Fiscal Year 2018-2019

a) Schedule Public Hearing for 2018-2019 Budget – June 26, 2018

John Jennings – Administrative Chairman

XV. Public Comment

XVI. Adjournment

Action required

Please note that public comment will be taken prior to action on agenda items.

It is possible that a quorum of the Capital Area Ground Water Conservation Commission (CAGWCC) may be in attendance at this meeting but no action of the CAGWCC as a whole will be taken.